A B C D E F G H I J K L M N O P Q R S T U V W Y Z

C Barnes
Otterbert
Lewis
Lewis
Lewis
Rogers
Hickory
Smith

The Field Naturalists' Club

of Ballarat.

Foundation Members.

Mr C. A. Sonsee,
Mr J. Wheeler,
Prime mover in
founding club.
E Crimmins

1

A
B
C
D
E
F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

{ein durch Einfall 19/8/90 →
E. Rodyger.

BIRDS OF BALLARAT AND DISTRICT

The area referred to in this list is bordered by Daylesford, Clunes, Mt. Beckworth, Mt. Cole, Streatham, Rokewood, Meredith, Mt. Egerton and Bolwarrah.

Abbreviations:

Distribution - (first column)
- C. = Common.
- O. = Occasional.
- M. = Migratory.
- R. = Rare.
- VR. = Very Rare.

Habitat - (second column)
- F. = Well-forested areas.
- LF. = Lightly-forested areas.
- P. = Open, predominantly plains. Includes plantations, homesteads.
- W. = Water habitat.

Breeding - (third column)
- H. = Birds nesting high in trees.
- L. = Lower foliage nesters, or in undergrowth near ground.
- G. = Ground level nesters. Some nest in burrows.
- W. = Birds which breed in water habitat.

Order: Galliformes Fowl-like birds			
Family: Quail			
Stubble Quail	M.O.	P.	G.
Brown Quail	R.	P.	
King Quail	VR.	P.	
Order: Turnicformes Bustard Quail			
Family: Bustard Quail			
Red-backed Quail	VR.	P.	
Painted Quail	O.	LF.	G.
Black-breasted Quail	VR.	LF.	
Little Quail	O.	P.	G.
Red-chested Quail	R.	P.	
Family: Plain Wanderers			
Plain Wanderer	VR.	P.	G.
Order: Columbiformes Pigeons and Doves			
Family: Fruit Pigeons.			
Purple-crowned Pigeon	VR.	F	
Family: Ground Pigeons.			
Peaceful Dove	O.	LF.	L.
Diamond Dove	R.	LF.	L.
Common Bronzewing	O.	LF.	L.
Brush Bronzewing	O.	LF.	L.
Crested Pigeon	R.	LF.	
Order: Rallformes Rail-like birds			
Family: Rails, Crakes, Waterhens			
Lewin Water-Rail	R.	W.	G.
Banded Landrail	O.	P.W.	G.
Spotted Crake	O.	W.	W.
Marsh Crake	O.	W.	W.
Spotless Crake	O.	W.	W.
Black-billed Native-Hen	O.	P.W.	
Dusky Moorhen	C.	W.	W.
Eastern Swamphen	C.	P.W.	W.
Coot	C.	W.	W.

Order: Podicipiformes. Grebes.

Family: Grebes.

Great Crested Grebe	O.	W.	W.
Little Grebe (Dabchick)	C.	W.	W.
Hoary-headed Grebe	C.	W.	W.

Order Pelecaniformes. Fishing Birds.

Family: Cormorants

Black Cormorant	C.	W.	
Little Black Cormorant	O.	W.	
Pied Cormorant	O.	W.	
Little Pied Cormorant	C.	W.	L.W.

Family: Darters

Darter	VR.	W.	

Family: Pelicans

Pelican	O.	W.	

Order: Lariformes. Gull-like Birds

Family: Terns

Marsh Tern	O.	W.	W.
Gull-billed Tern	O.M.	W.	W.
Caspian Tern	R.	W.	

Family: Gulls

Silver Gull	O.	W.	W.

Order: Charadriformes. Waders.

Family: Plovers, Dotterels, etc.

Red-kneed Dotterel	O.	W.	
Spur-winged Plover	C.	W.	P.G.
Banded Plover	O.	P.	G.
Double banded Dotterel	O.M.	W.	
Red-capped Dotterel	O.	W.	G.
Black-fronted Dotterel	O.	W.	G.
White-headed Stilt	O.	W	G.W.
Banded Stilt	VR.	W.	
Red-necked Avocet	O.	W.	G.W.

Family: Curlews, Sandpipers, Snipe.

Wood Sandpiper	VR.	W.	
Common Sandpiper	VR.	W.	
Greenshank	R.M.	W.	
Red-necked Stint	O.M.	W.	
Sharp-tailed Sandpiper	O.M.	W.	
Australian (Japanese) Snipe	O.M.	W.	
Painted Snipe	VR.	P.W.	

Family: Stone-Curlews

Southern Stone-Curlew	O.	P.L.F.	G.

Family: Bustards.

Australian Bustard	R.	P.	G.

Order: Ciconiiformes. Cranes

Family: Cranes.

Brolga	O.	W.P.	W.

Order: Ardeiformes. Heron-like Birds.

Family: Ibises

Glossy Ibis	R.	W.	
White Ibis	O.	W.	H.W.
Snow-necked Ibis	C.	P.W.	L.W.

Family: Spoonbills

Royal Spoonbill	R.	W.	
Yellow-billed Spoonbill	O	W.	H.W

Family: Herons, Egrets, Bitterns.

Cattle Egret	R.	P.	
Little Egret	R.	W.	
Plumed Egret	R.	W.	
White Egret	O.	W.	
White-faced Heron	C.	P.W	H.
White-necked Heron	O.	P.W.	H.W.
Nankeen Night-Heron	O.	P.W	H.
Little Bittern	R.	W.	
Brown Bittern	O.	W.	W.

Order: Anatiformes. Geese, Swans, Ducks.

Family: Geese, Swans and Ducks.

Cape Barren Goose	R.	P.W.	
Pied Goose	VR.	W.	
Maned Goose (Wood Duck)	O.	P.W.	
Black Swan	C.	W.	W.G.

Pinned Tree-Duck	R.	W.	
Mountain Duck	O.	W.	H.G.
Black Duck	C.	W.	G.W.
Chestnut Teal	R.	W.	
Grey Teal	C.	W.	G.H.
Blue-winged Shoveler	O.	W.	G.
Pink-eared Duck	O.	W.	W.
Freckled Duck	R.	W.	
Hardhead (White-eyed Duck)	O.	W.	G.
Blue-billed Duck	O.	W.	G.W.
Musk Duck	O.	W.	G.L.W.
Order: Accipitriformes	Hawks, etc		
Family: Eagles, Hawks, Kites			
Swamp Harrier	O.	W.R.	W.G.
Spotted Harrier	R.	LF.P.	
Grey (White) Goshawk	R.	F.	
Australian (Brown) Goshawk	O.	All	H.
Collared Sparrowhawk	R.	All	H.
Wedge-tailed Eagle	O.	All	H.
Little Eagle	O.	All	H.
Whistling Eagle	C.	All	H.
Fork-tailed (Black) Kite	R.	LF.P.	
Black-shouldered Kite	O.	LF.P.	H.
Letter-winged Kite	VR.	LF.P.	
Family: Falcons, Kestrels			
Little Falcon	O.	All	H.
Peregrine Falcon	O.	All	H.
Black Falcon	R.	All	
Brown Hawk	C.	LF.P.	H.
Nankeen Kestrel	O.	LF.P.	H.
Order: Strigiformes	Owls		
Family: Hawk Owls			
Barbook Owl	O.	All	H.
Winking Owl	R.	F.LF.	
Powerful Owl	R.	F.	
Family: Barn Owls			
Barn Owl	O.	All	H.
Order: Psittaciformes	Parrots, etc.		
Family: Lorikeets			
Rainbow Lorikeet	R.	LF.F.	
Musk Lorikeet	O.	F.LF.P.	
Purple-crowned Lorikeet	O.	F.LF.P.	
Little Lorikeet	O.	F.LF.P.	
Family: Cockatoos			
Yellow-tailed Black Cockatoo	O.	F.LF.P.	
Gang Gang Cockatoo	O.	F.P.LF.	
White Cockatoo	O.	F.LF.P.	H.
Pink Cockatoo	R.	LF.	
Long-billed Corella	O.	LF.P.	
Galah	O.	LF.P.	H.
Family: Lories (Parrots)			
Cockatiel	R.	P.	
King Parrot	R.	F.	
Crimson Rosella	C.	F.LF.	H.
Eastern Rosella	C.	LF.P.	
Red-backed Parrot	O.	LF.P.	H.L.
Blue-winged Parrot	R.	P.	
Elegant Parrot	O.	P.	
Swift Parrot	O.	LF.P.F.	
Budgerigah	R.	P.	
Order: Coraciiformes	Kollar-like birds		
Family: Frogmouths			
Tawny Frogmouth	O.	LF.P.	H.
Owlet Nightjar	O.	LF.P.	H.L.
Family: Rollers			
Dollar-Bird	R.	LF.	
Family: Kingfishers			
Azure Kingfisher	VR.	LF.P.W.	
Sacred Kingfisher	M.O.	All.	H.L.
Kookaburra	C.	All	H.

Family: Bee-Eaters			
Rainbow Bird	M.O.	LF.P.	G.
Family: Swifts			
Spine-tailed Swift	M.O.	All	
Fork-tailed Swift	M.O.	All	
Order: Coeuliformes			
Family: Cuckoos			
Pallid Cuckoo	M.C.	All	✓
Fantailed Cuckoo	M.R.	F.LF.P.	✓
Brush (Square-tailed) Cuckoo	N.R.	F.LF.	
Black-eared Cuckoo	N.R.	F.LF.	
Horsfield Bronze-Cuckoo	M.R.	All	✓
Golden Bronze-Cuckoo	M.O.	All	✓
Order: Passeriformes Perching Birds			
Family: Swallows, Martins			
Welcome Swallow	C.	All	H.L.G.
Fairy Martin	O.M.	P.W.F.	L.G.
Tree Martin	O.	All	H.
Family: Flycatchers			
Grey Fantail	C.	All	H.L.
Rufous Fantail	M.O.	F.	L.
Willie Wagtail	C.	LF.P.W.	H.L.
Leaden Flycatcher	N.R.	F.LF.	H.
Satin Flycatcher	M.O.	F.LF.	H.
Restless Flycatcher (Scissors Grinder)	O.	LF.W.	H.L.
Jacky Winter	O.	LF.P.	L.H.
Scarlet Robin	C.	F.LF.	H.
Red-capped Robin	R.	LF.P.	L.
Flame Robin	M.C.	P.F.LF.	L.
Pink Robin	O.	F.LF.	H.
Rose Robin	R.	F.	
Hooded Robin	O.	LF.P.	L.
Yellow Robin	C.	F.LF.	L.H.
Family: Song-Shrikes			
Golden Whistler	C.	F.LF	H.L.
Rufous Whistler	M.C.	F.LF.P.	H.L.
Olive Whistler	R.	F.	
Grey Thrush	C.	All	L.G.
Family: Magpie-Larks			
Magpie-lark	C.	LF.P.W.	H.
Family: Crested Shrikes			
Eastern Shrike-Tit	O.	F.LF.P.	H.
Crested Bellbird	O.	LF.P.	L.
Family: Cuckoo-Shrikes			
Black-faced Cuckoo-Shrike	C.	All	H.
Little Cuckoo-Shrike	R.	F.LF.	H.
White-winged Triller	M.O.	F.LF.	H.
Family: Babblers, Quail-Thrushes			
Spotted Quail-Thrush	O.	F.LF.	G.
White-browed Babbler	O.	LF.	L.
Grey-crowned Babbler	R.	LF.	L.
Family: Thrushes.			
Ground (Mountain) Thrush	O.	F.LF	L.
Family: Australian Chats.			
White-fronted Chat	C.	LF.P.	L.G.
Family: Thornbills, Warblers, Scrub-Wrens, etc.			
White-throated Warbler	R.	LF.	H.
Western Warbler	R.	LF.	
Brown Weebill	O.	LF.	H.
Eastern Whiteface	R.	LF.P.	H.L.
Striated Thornbill	O.	F.LF	H.
Little Thornbill	O.	F.LF.	H.
Brown Thornbill	C.	All	H.L.
Chestnut-tailed Thornbill	R.	All	L.
Buff-tailed Thornbill	C.	F.LF.	L.G.
Yellow-tailed Thornbill	C.	All	H.L.
White-browed Scrub-Wren	C.	All	L.G.
Chestnut-tailed Ground-Wren	R.	LF.P.	
Striated Field-Wren	O.	P.W.	L.
Family: Warblers, Songlarks.			
Speckled Warbler	O.	LF.P.	G.
Brown Songlark	M.O.	P.	G.

Order Passeriformes (continued)

Rufous Songlark	M,O.	LF,P.	C.
Little Grassbird	O.	W.	L.
Reed Warbler	M,C.	W.	L.
Golden-headed Fantail-Warbler	O.	W,P.	L.
Blue Wren	C.	All	L.

Family: Wood-Swallows

Masked Wood-Swallow	M,O.	All	L.
White-browed Wood-Swallow	M,O.	All	L.
Dusky Wood-Swallow	M,C.	All	H,L.

Family: Sittellas

Orange-winged Sittella	O.	F,LF.	H.
Black-capped Sittella	R.	F,LF.	H.

Family: Tree-Creepers.

Brown Tree-Creeper	C.	LF.	H,L.
White-throated Tree-Creeper	C.	F,LF.	H.
Red-browed Tree-Creeper	R.	F.	H.

Family: Flower-peckers

Mistletoe-Bird	O.	F,LF.	H.

Family: Diamond Birds

Spotted Pardalote	C.	F,LF.	H,G.
Striated Pardalote	O.	F,LF.	H,G.
Eastern Striated Pardalote	C.	All	H,G.
Yellow-tipped Pardalote	O.	All	H,G.

Family: Silvereyes

Grey-breasted Silvereye	C.	All	H,L.

Family: Honeyeaters

White-naped Honeyeater	C.	All	H.
Black-chinned Honeyeater	O.	F,LF.	H.
Brown-headed Honeyeater	C.	All	H.
Eastern Spinebill	C.	All	H.
Tawny-crowned Honeyeater	R.	P.	L.
Painted Honeyeater	R.	LF.	
Regent Honeyeater	O.	LF.	H.
Singing Honeyeater	R.	P.	
Fuscous Honeyeater	C.	F,LF.	H.
Yellow-faced Honeyeater	C.	All	H,L.
White-eared Honeyeater	C.	All	L.
Yellow-tufted Honeyeater	O.	F,LF.	L.
Yellow-plumed Honeyeater	R.	LF.	
White-plumed Honeyeater	C.	LF,P,W.	H.
Crescent Honeyeater	O.	F.	H.
Yellow-winged Honeyeater	C.	LF,P.	L.
Noisy Miner	C.	LF,P.	H,L.
Little Wattle-Bird	O.	LF,P.	L.
Red Wattle-Bird	C.	All	H,L.
Blue-faced Honeyeater	VR.	LF.	
Noisy Friar-Bird	R.	LF.	

Family: Wagtails and Pipits

Australian Pipit	C.	LF,P,W.	G.

Family: Larks

Horsfield Bushlark	R.	P.	

Family: Weaver Finches

Beautiful Firetail	R.	LF.	
Diamond Firetail	O.	LF,P.	H,L.
Zebra Finch	O.	LF,P.	L.
Red-browed Finch	C.	All	L.

Family: Orioles

Olive-backed Oriole	M,O.	F,LF.	H.

Family: Catbirds and Bowerbirds

Satin Bower-Bird	VR.	F.	

Family: Crows

Australian Raven	C.	All	H.
Little Raven	C.	All	H,L.
White-winged Chough	C.	F,LF.	H.

Family: Bell Magpies, Crow-Shrikes.

Pied Currawong	R.	F.	H.
Grey Currawong	C.	F,LF,P.	H.
Grey Butcher-bird	O.	LF,P.	H.
Black-backed Magpie	O.	LF,P.	H,L.
White-backed Magpie	C.	All	H,L.

C D E F G H I J K L M N O P Q R S T U V Y Z

Introduced Species:

Pigeon (Rock Dove)	C.	Towns	H.
Indian Turtle-Dove	O.	Gardens	H, L.
Blackbird	C.	All	L.
Song Thrush	R.	Gardens	L.
Skylark	O.	P.	G.
Greenfinch	O.	P, Gardens	L.
Goldfinch	C.	All	L.
House Sparrow	C.	LF, P, W.	L, H.
Tree Sparrow	R.	Towns	L, H.
Starling	C.	All	H, L
Indian Myna	R.	Towns	
White Swan	Wdnct	Lake	W.

In this Ballarat District bird list, 16 Orders and 59 families are represented and make up a total of 242 species, while added to this we have 12 introduced species - a total in all of 254 species.

ADDITIONS:

Curlew Sandpiper
Spotted Nightjar Trafalgh 1972
Apostle-bird
Crimson Chat Campbellrock
White-throated Nightjar Glenlark Mar. 74.
Spiny-cheeked Honeyeater

C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
Y
Z

Mammals of Ballarat and District

Monotremes

Echidna (Spiny ant-eater)	Tachyglossus aculeatus	
	Enfield Mt Rowsworth Ballarat	
Platypus	Ornithorhynchus anatinus	Not Common
	Creswick Yellow Rks	

Marsupials - Dasyures

Tiger Cat	Dasyurus maculatus	Rare Redwood
Native	Brush-tailed Phascogale	Uncommon
	Sparrg Creek Enfield (only rare)	
Brown Phascogale	Antechinus stuartii	Abundant - widespread
	Enfield Lay Thorsdale	Sparrg Creek Creswick
	Cook Gully	
Yellow-footed Phascogale	Antechinus flavipes	Mt Rowsworth
	Cook Swan - uncommon	
Red Tailed Smintheopsis	Smintheopsis crassicaudata	Uncommon
	Mt Rowsworth Lay Thorsdale	
Common Smintheopsis	Smintheopsis murina	Rare Lay Thorsdale
	Mt Bunnyong	

Possums

Yellow-footed Brush Tailed Possum	Trichosurus vulpecula	Abundant
	widespread Enfield Creswick Mt	
	Rowsworth Sparrg Creek	

Eastern Native Cat Dasyurus	Dasyurus maculatus	Not common
	Enfield in scattered areas i.e. Sandy Valley, Smithsdale	
Native Tiger Cat Dasyurus	Dasyurus geoffroii	Widespread
	Enfield, Smithsdale, Mt. Barker, Sparrow Creek	
Koala	Phascolarctos cinereus	Not common
	Enfield, Sparrow Creek, Hill Hill Creek	
Feather Tailed Glider	Acrobates pygmaeus	Widespread in
	Enfield - although not common -	
Wombat		
Common Wombat	Phascolomis mitchelli	Rare
	Dayleford, Sparrow Creek	
Kangaroo		
Grey or Forester Kangaroo	Macropus giganteus	
	Enfield	
Black Tailed Wallaby	Protemnodon bicolor	Enfield
Red Necked Wallaby	Protemnodon rufogrisea	Enfield

Placental Mammals - Introduced species in bracket

Insects

Short Tail or Allied Bat } Rattus rattus Dalyford Enfield Uncommon

Eastern Swamp Rat } Rattus lutreolus Rare Ross Creek

(House Rat) Rattus Rattus Widespread in all areas near Townships and in bush

(House Mouse) Mus musculus Widespread in all areas near Townships and in bush

Water Rat Hydromys chrysogaster uncommon

Bandicoots

Pouch Long-eared Bat Nyctophilus geoffroyi uncommon? Smythesdale (specimen sent to museum 1973 with uncommon white markings on back)

Sooty Rabbit Bat Chalinolobus gouldii Creswick Enfield Smythesdale

C
D
E
F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

SEE AMENDED LIST, Page 36.

Birds of Ellices Island	
Sharp-tailed Sandpiper	L. Bairdii
Silver Gull (B)	C. Novae
Spur-winged Plover (B)	Harry Hawk Gulls
Black Cormorant (B) 932	Little Grebe
Little Red Cormorant (B)	Tree Martin (B)
White Headed Stint	Noisy Miner
Sharp-nosed Stint	Red Headed Bird
White Ibis	Skylark
White Herbert Heron (B)	Goldfinch
Yellow Billed Spoonbill (B)	~~White Headed Magpie~~
White Faced Heron (B)	Black Shelled Tatchi Hen (27-1-1938)
Pink eared Duck (B)	Wedge
Musk Duck (B)	Eastern White Ibis
Wood Duck	Snipe
Black Duck (B)	Silver Gull
Black Swan (B)	Grey Hawk
Grey Teal (B)	Crested Spoonbill
Hardheads	White-plumed Honeyeater
Teal (B)	Black Egret
Chestnut Eagle	Peregrine Falcon
Wedge-tailed Eagle	Bubble Quail
Brown Hawk	~~Sharp-tailed Sandpiper~~
Marsh Harrier	Glossy Ibis
White-breasted Sea Eagle	Swamp Harrier
Red Backed Parrot (B)	Black-shouldered Kite
Eastern Rosella	Musk Lorikeet
Long-billed Corella	Marsh Tern
Little Crested (B)	Red-necked Stint
Magpie Lark	~~White-breasted Magpie~~
Black Headed Cuckoo Shrike	Marsh Crake
Yellow Billed Spoonbill (B)	Eastern
Red-tipped Pardalote	Pelican
Rockbuzzer (B)	Chestnut Teal
White frontal, adult	Banded Plover
Raven	
Welcome Swallow	

COMPILED BY L.J. AND A.E. MILLAR.

Flowers and Plants of the Kol Cole Forest (with adjoining Rock Lookout and Bowtonyari):

Dicksonia and Ring Fern

CYATHEACEAE AND OSMUNDACEAE

DICKSONIA ANTARCTICA	Soft Tree-fern
CYATHEA AUSTRALIS	Rough "
TODEA BARBARA	Austral King-fern

Ground Ferns of gully and Scrub.

POLYPODIACEAE

BLECHNUM CARTILAGINEUM	Gristle fern
B. NUDUM	Fishbone Water-fern
B. PROCERUM	Hard Water-fern
ASPLENIUM FLABELLIFOLIUM	Necklace fern
A. BULBERERUM	Mother Spleenwort
CULCITA DUBIA	Common Ground-fern
HISTIOPTERIS INCISA	Bat's-wing fern
PTERIDIUM ESCULENTUM	Austral Bracken
ADIANTUM ETHIOPICUM	Common Maidenhair
CHEILANTHES TENUIFOLIA	Rock fern

GLEICHENIACEAE

GLEICHENIA MICROPHYLLA	Scrambling Coral fern

OPHIOGLOSSACEAE

OPHIOGLOSSUM CORIACEUM	Austral Adder's-tongue

Grasses, Sedges and Rushes.

GRAMINEE

THEMEDA AUSTRALIS	Kangaroo Grass
STIPA VERIOSA	Spear-grass
POA AUSTRALIS	Tussock-grass
TETRARRHENA JUNCEA	Wire-grass
PHRAGMITES COMMUNIS	Common Reed
CYNNOSECHENULS SPHAEROCEPHALUS	Button Grass

CYPERACEE

GAHNIA SIEBERIANA	Red-fruit Saw-sedge
LEPIDOSPERMA SEMITERES	Wire Rapier-sedge.

JUNCACEE

JUNCUS PALLIDUS	Pale Rush
J. PAUCIFLORUS	
SCIRPUS NODOSUS	Knotty Club-rush
CALOROPHUS LATERIFLORUS	
LEPYRODIA FLEXUOSA	THIS WAS PREVIOUSLY THOUGHT ENDEMIC TO THE GRAMPIANS.

Lilies and Yellow-eye.

XYRIDACEE

XYRIS OPERCULATA	Tall Yellow-eye

LILIACEE

DICHOPOGON STRICTUS	Chocolate Lily
ARTHROPODIUM MILLEFLORUM	Pale Vanilla Lily
THYSANOTUS TUBEROSUS	Common Fringe "
T. PATERSONII	Fringing " "
STYPANDRA GLAUCA	Nodding Blue "
DIANELLA TASMANICA	Tasman Flax "
D. REVOLUTA	Black-anther Flax-lily
BURCHARDIA UMBELLATA	Fairy Bells
ANNULLARIA DIOICA	Early Nancy
BULBINE BULBOSA	Bulbine Lily
LOMANDRA FILIFORMIS	Wattle Root-rush
L. LONGIFOLIA	" "

XANTHORRHOEA MINOR ..... Small Grass tree

HYPOXIDACEE

HYPOXIS GLABELLA ..... Yellow Star

ORCHIDACEE — Orchids

CALADENIA CARNEA ..... Pink Fingers

C. ANGUSTATA ..... Rosy Caladenia

DIURIS MACULATA ..... Leopard Orchid

D. PEDUNCULATA ..... Golden Moth

CORYBAS DILATATUS ..... Helmet Orchid

CHILOGLOTTIS GUNNII ..... Bird Orchid

PTEROSTYLIS LONGIFOLIA ..... Tall Greenhood

P. FALCATA ..... Sickle "

BASTRODIA SESAMOIDES ..... Cinnamon Bells

DIPODIUM PUNCTATUM ..... Hyacinth Orchid

THELYMITRA MEDIA ..... Tall Sun "

CASUARINACEE — She-Oaks.

CASUARINA STRICTA ..... Drooping She-oak.

PROTEACEE — Grevillea Family.

BANKSIA MARGINATA ..... Silver Banksia

GREVILLEA ALPINA ..... Mountain Grevillea

G. (SPECIES) NEW SPECIES ..... To be named.

SANTALACEE — Wild Cherry.

EXOCARPOS CUPRESSIFORMIS ..... Cherry Ballart

LORANTHACEE — The Mistletoes

AMYEMA PENDULA ..... Drooping Mistletoe.

MUELLERINA EUCALYPTOIDES ..... Common "

RIZOBEAE — Moonflower

CARPOBROTUS MODESTUS ..... DESCRIBED AS NEW SPECIES 1969

PORTULACACEE

MONTIA AUSTRALISICA NOW CLAYTONIA HIS ..... White Purslane

D E F G H I J K L M N O P Q R S T U V W Y Z

CARYOPHYLLACEE	Stitchwort
STELLARIA PORIGONS	Prickly Stitchwort
S. FLACCIDA	Forest "
RANUNCULACEE	Clematis - Buttercup
CLEMATIS ARISTATA	Clematis
RANUNCULUS LAPPACEUS	Common Buttercup
R. GUNNIANUS	Alpine "
MONTIACEE	Austral Montiary
HEDYCARYA ANGUSTIFOLIA	Austral Mulberry
LAURACEE	Golden Laurels.
CASSYTHA MELANTHA	Large Ender Laurel
C. GLABELLA	Tangled " "
DROSERA	Sundews
D. WHITTAKERI	Scented Sundew
D. BINATA	Forked "
D. AURICULATA	Ermine "
CRASSULACEE	Stonecrop.
CRASSULA SIEBERIANA	Austral Stonecrop.
C. MACRANTHA	Rufous "
SAXIFRAGACEE	Bauera
BAUERA RUBIOIDES	Wiry Bauera
PITTOSPORACEE	Pittosporum
BURSARIA SPINOSA	Sweet Bursaria
BILLARDIERA SCANDENS	Common Apple-berry
ROSACEE	Bramble - Berry.
RUBUS TRIPHYLLUS	Smooth-leaf Bramble (Native Raspberry)
ACAENA ANSERINIFOLIA	Bidgee-widgee (Burr)
MIMOSACEE	The Wattles
ACACIA DEALBATA	Silver Wattle
A. DECURRENS	Early Black "
A. MOLLISSIMA	" "
A. VERTICILLATA	Prickly Moses
A. STRICTA	Hop Wattle

A. DIFFUSA	Spreading Wattle
A. ARMATA	Hedge "
A. MYRTIFOLIA	Myrtle "
A. SUAVEOLENS	Sweet "
A. VERNICIFLUA	Varnish "
A. MELANOXYLON	Blackwood
A. OBLIQUINERVIA	
A. ALINACEA	Gold Dust Wattle
A. ACULEATISSIMA	Thin-leaf or "Snake" "
A. OXYCEDRUS	Spike Wattle
A. CUNNII	Ploughshare.
PAPILIONACEE	Bush-Pea etc.
PULTENEA DAPHNOIDES	Large-leaf Bush Pea
P. CUNNII	Sydney " "
P. SCABRA	Rough " "
P. ANGUSTIFOLIA	Narrow-leaf " "
P. LAXIFLORA	Loose-flower " "
DILLWYNIA HISPIDA	Red Parrot-Pea
D. SERICEA	Showy " "
DAVIESIA MIMOSOIDES	Narrow-leaf Bitter Pea
D. VIRGATA	" "
D. MIMOSOIDES VAR. ARBOREA	
D. VULGELOIA	Gorse Bitter Pea
" BOSSIAEA CORDIGERA	Wing Bossiaea
PLATYLOBIUM OBTUSANGULUM	Common Flat Pea
HOVEA HETEROPHYLLA	Common Hovea
GOMPHOLOBIUM HUEGELLI	Karalla
GOODIA LOTIOLIA	Golden Tuft
LOTUS CORNICULATUS	Birds-foot Trefoil
DESMODIUM VARIENS	Variable Tick-trefoil
INDIGOFERA AUSTRALIS	Austral Indigo
KENNEDYA PROSTRATA	Running Postman
GLYCINE CLANDESTINA	Twining Glycine
G. TABACINA	Variable "

HARDENBERGIA VIOLACEA — Purple Coral-Pea

GERANIACEE — Geranium

GERANIUM SOLANDERI — Austral Cranes-bill

PELARGONIUM RODNEYANUM — Rosy Stinks-Bill

OXALIDACEE

OXALIS CORNICULATA — Yellow Wood-sorrel

LINACEE

LINUM MARGINALE — Wild Flax

RUTACEE — Boronia, Wax-flowers

BORONIA NANA — Dwarf Boronia

ERICEAE

CORREA LAWRENCIANA — Mountain Correa

C. REFLEXA — Correa

C. HYBRID — Tullaly, Reflexa x Aemula

TREMANDRACEE — Pink bells and Pultwort

TETRATHECA CILIATA — Pink Bells

GOMESPERMA VOLUBILE — Love Creeper

CALLITRICHACEE

CALITRICHE STAGNALIS — Water Starwort

STACKHOUSIACEE — Scented Candles

STACKHOUSIA MONOGYNA — Scented Candles

SAPINDACEE — Hop Bush and Hazel

DODONEA CUNEATA — Giant Hop bush

RHAMNACEE

POMADERRIS ASPERA — Hazel Pomaderris

P. ELATHOPHYLLA — Lacey "

SPYRIDIUM PARVIFOLIUM — Dusty Miller

DILLENIACEE — Guinea Flowers

HIBBERTIA FASCICULATA — Bundled Guinea-flower

H. STRICTA — Erect "

H. HUMIFUSA — RARE IN VICTORIA — Mountain "

GUTTIFERE — Australian St. Johns Wort

HYPERICUM JAPONICUM — Creeping St. Johns Wort.

VIOLACEE Violets

VIOLA HEDERACEA Ivy-leaf Violet

V. BETONICIFOLIA Purple "

THYMELEACEE Rice flowers.

PIMELEA NUTILIS Dwarf Rice-flower

P. OCTOPHYLLA Downy " "

P. AXIFLORA Tough " "

P. STRICTA

MYRTACEE

EUCALYPTUS Eucalypts

E. OBLIQUA Messmate

E. GIGANTEA Blue Gum (Tasmania)

E. VIMINALIS Manna "

E. BAXTERI Brown Stringybark

E. MACRORHYNCA Red " "

E. MELLIODORA Yellow Box

E. PAUCIFLORA Snow Gum (Kiltubilla)

E. AROMAFOLIA Scent Bark

E. RUGIOSA Candlebark

E. STUARTIANA Apple Box (Red Bark)

E. DIVES Broad-leaved Peppermint

E. RADIATA Narrow " "

E. CAMALDULENSIS Forest Red-gum

E. REGNANS Mountain Ash (PLANTED)

LEPTOSPERMUM Tea-tree.

L. JUNIPERINUM Kanuka

L. LANIGERUM Woolly Tea-tree

L. NITIDUM Shining Tea-tree

[PROBABLY KNOWN ON THE MAINLAND ONLY IN GRAMPIANS]

L. ERICOIDES Burgan

KUNZEA PARVIFOLIA Crimson Kunzea

CALYTRIX ALPESTRIS Snow Myrtle

MICROMYRTUS CILIATUS Fringed Heathmyrtle

ONAGRACEE Willow herb

EPILOBIUM JUNCEUM Hairy Willow-herb

E. PALLIDIFLORUM Showy " "

D E F G H I J K L M N O P Q R S T U V W Y Z

HALORAGIDACEE	Raspwort
HALORAGIS TETRAGYNA	Raspwort
ARALIACEE	Panax and Star Hair
ASTROTRICHA ASPIROLIA	Rough Star-hair
UMBELLIFERE	Parsley family
HYDROCOTYLE LAXIFLORA	Stinking Pennywort
H. HIRTA	Hairy " "
ERICRIDACEE	Heaths
ERICRIS IMPRESSA	Common Heath
ASTROLOMA HUMIFUSUM	Cranberry
ASTROTRICHE SERRULATA	Honey-Pots
A. PROSTRATA	Trailing Prunelberry
LISSANTHE STRIGOSA	Peach Heath
MONOTOCA SCOPARIA	Prickly Broom-heath
BRACHYLOMA DAPHNOIDES	Daphne Heath
B. CILIATUM	Fringed "
LEUCOPOGON VIRGATUS	Common Beard-heath
STRONGELIA INCARNATA	Pink Swamp-heath
GENTIANACEE	
CENTAURIUM PULCHELLUM	Austral Centaury
CONVOLVULACEE	Convolvulus Family
DICHONDRA REPENS	Kidneyweed
CUSCATA	Dodder
BORAGINACEE	Forget-me-not
MYOSOTIS AUSTRALIS	Forget-me-not
LABIATAE	Mint Family
MENTHA LAXIFLORA	Native Mint
PRUNELLA VULGARIS	Self-Heal
PROSTANTHERA ROTUNDIFOLIA	Round-leaf Mint-bush
P. LASIANTHOS	Christmas Bush
SOLANACEE	Nightshade. Solanum
SOLANUM NIGRUM	Black Nightshade
S. LACINIATUM	Kangaroo Apple

SCROPHULARIACEE Veronica Fanaly

GRATIOLA PERUVIANA Anisole Brookline

EUFRASIA COLLINA Purple Eyebright

VERONICA DERWENTIA Derwent Speedwell

LENTIGULARIACEE Fairies Aprons.

UTRICULARIA DICHOTOMA Fairies Aprons.

PLANTAGINACEE Plantains

PLANTAGO VARIA Variable Plantain

RUBIACEE Coprosma Brodrupp.

GORRESHA HIRSELLA Rough Coprosma

ASPERULA SCOPARIA Prickly Brodrupp

GALIUM CHADICHAUDII Rough Bedstraw

CAPRIFOLIACEE Elderberries

SAMBUCUS CHADICHAUDIANA White Elderberry

LOBELIACEE Lobelia

LOBELIA GIBBOSA Tall Lobelia

ISOTOMA FLUVIATILIS Swamp Isotoma

CAMPANULACEE

WAHLENBERGIA GUNNINILIS Bluebell

BRUNONIACEE

BRUNONIA AUSTRALIS Blue Pincushion

GOODENIACEE

GOODENIA OVATA Hop Goodenia

G. HEDERACEA Ivy "

STYLIDIACEE

STYLIDIUM GRAMINIFOLIUM Grass Trigger Plant

COMPOSITAE

OLEARIA MYRSINOIDES Silky Daisy Bush

O. PHLOGOPAPPA ?

O. RAMULOSA VAR. RIGIDA Twiggy " "

LYCOCIA ASHILLOIDES Isocium

LAGENOPHORA STIPITATA Blue Bottle - daisy

GNEPHOSYNE GEMLOIDES

BRACHYCOME DIVERSIFOLIA	Tall Daisy
B. MULTIFIDA	Rock "
SENECIO	Groundsel, Fireweed + Redweed
S. BISERRATUS	Coltsfoot Fireweed
S. VULLGIOIDES	Fresh Groundsel
S. VAGUS	Sow "
S. LAUTUS	Variable "
GNAPHALIUM INVOLUCRATUM	Common Cudweed
G. LUTEO-ALBUM	Jersey "
LEPTORHYNCHUS TENUIFOLIUS	Wiry Buttons
CRASSONA CILIOSA	Dimmicken
MICROSERIS LANCEOLATA	Native Daisy
CYMBONOTUS LAWSONIANUS	Bear-lear
HELICHRYSUM RUTIDOLEPIS	Pale Everlasting
H. SEMIPAPPOSUM	Shiny "
H. LEUCOPSIDIUM	Sakie "
H. OBCORDATUM	Grey "
H. APICULATUM	Common "
CASSINIA ACULEATA	Common Cassinia

STEREOCAULON RAMULOSUM — Lichen

CLADIA RETIPORA — Cone Lichen

C. ACUPECTATA — "

CLADONIA CHLOROPHAEA — "

PARMELIA SP. — PROBABLY NEW SP.

MARCHANTIA BERTERONIANA — Liverwort

These were unidentified by Pegel!

LORENTHREES — The Mistletoe

AMYEMA PENDULA — Drooping Mistletoe

MYSILLERINA EUCALYPTOIDES — Common "

N. Dates seeing

Lt Page
& Bedford

Birds of Canadian Forest

N Grey Gros beak (white - grey frame) Grosbeak
N Brown Pollarth — Brown headed Nuthatch
White tailed Eagle — N Eastern Spotted
White tailed Eagle — N White headed Woodpecker
Black Throated Hawk — N Yellow fronted Woodpecker
Crimson Linnetta — N White crested Flycatcher
Eastern Bluebird — Red Crested
Cedar Waxwing — N White Bonded Chickadee
Sparrow Footed swift — N Grey Gossamer
Tattled Cuckoo — N Red Throated Finch
Black footed Cuckoo — Indigo Bunting
Yellow Billed Cuckoo — N Sitta Nuthatcher
Horsefoot Mourning Cuckoo — N Nighthawk
Orchard Oriole — N White tailed Magpie
N Grey Jun tail — Olive backed Oriole
Scissors Grosbeak — Raven
N Scarlet Robin — Little Sandpiper
Rock Robin — Brown capped Pigeon
Sea Robin — White Throated Sparrow
N Southern Yellow Robin — N ~~White winged Blackbird~~
N Golden Oriole — N White Breasted Nuthatch
N Indigo Oriole
N Grey Thrush
Magpie Lark
Eastern White - Ant
N Striated Thrush
N Brown Thrush
N Yellow footed Thrush
N Buff footed Thrush
N Blue Robin
White breast Woodswallow
N Dusky Wood swallow
White throated Snowflake
N Speckled Sandpiper — Blackbird & Starling
N Striated Sandpiper — Bittern

57 species
27 nesting

D
E
F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

BIRDS of the CLARKESDALE BIRD PADDOCK

Little Pied Cormorant
White-necked Heron
White-faced Heron
Nankeen Night-heron
Black Duck
Whistling Kite
Brown Goshawk
Wedge-tailed Eagle
Swamp Harrier
Peregrine Falcon
Brown Falcon
Painted Quail
Masked (Spur-winged) Plover
Diamond Dove
Brush Bronzewing
Yellow-tailed Black Cockatoo
Galah
Long-billed Corella
Musk Lorikeet
Little Lorikeet
Crimson Rosella
Eastern Rosella
Pallid Cuckoo
Fan-tailed Cuckoo
Brush Cuckoo
Black-eared Cuckoo
Rufous-tailed (Horsfield's) Bronze-cuckoo
Shining (Golden) Bronze-cuckoo
Powerful Owl
Sooty Owl
Owlet Nightjar
Spine-tailed Swift
Fork-tailed Swift
Kookaburra
Sacred Kingfisher
Rainbow Bee-eater
Welcome Swallow
Tree Martin
Black-faced Cuckoo-shrike
White-winged Triller
Blackbird
Flame Robin
Scarlet Robin
Hooded Robin
Yellow Robin
Jacky Winter
Shrike-tit
Golden Whistler
Rufous Whistler
Grey Thrush
Satin Flycatcher
Restless Flycatcher
Rufous Fantail
Grey Fantail
Willie Wagtail
Blue Wren
White-browed Scrub-wren
Speckled Warbler
Brown Thornbill
Buff-tailed Thornbill
Yellow-tailed Thornbill
Little Thornbill
Striated Thornbill
White-throated Warbler
Orange-winged Sittella
White-throated Tree-creeper
Brown Tree-creeper
Red Wattlebird

~ PROPERTY of the BIRD OBSERVERS CLUB NEAR LINTON.

Yellow-faced Honeyeater
White-eared Honeyeater
Yellow-tufted Honeyeater
Fuscous Honeyeater
White-plumed Honeyeater
Brown-headed Honeyeater
White-naped Honeyeater
Painted Honeyeater
Yellow-winged Honeyeater
Eastern Spinebill
Mistletoe Bird
Spotted Pardalote
Striated Pardalote
Eastern Striated Pardalote
Silvereye
Goldfinch
Greenfinch

Red-browed Finch
Diamond Firetail
Starling
Olive-backed Oriole
White-winged Chough
Magpie-lark
White-throat Wood-swallow
Dusky Wood-swallow
White-backed Magpie
Grey Currawong
Australian Raven
Little Raven

BIRDS of THE CROSSING (Woody Yalock Creek)

Black Duck	Blue Wren
Whistling Eagle (Kite)	White-browed Scrub-wren
Brown Goshawk	Speckled Warbler
Wedge-tailed Eagle	Brown Thornbill
Brown Falcon	Yellow-tailed Thornbill
Musk Lorikeet	Buff-tailed Thornbill
Purple-crowned Lorikeet	Striated Thornbill
Little Lorikeet	Orange-winged Sittella
Crimson Rosella	White-throated Tree-creeper
Eastern Rosella	Brown Tree-creeper
Red-rumped Parrot	Red Wattlebird
Pallid Cuckoo	Yellow-faced Honeyeater
Fan-tailed Cuckoo	White-eared Honeyeater
Rufous-tailed Horsf. Bronze-cuckoo	White-plumed Honeyeater
Shining (Golden) Bronze-cuckoo	Brown-headed Honeyeater
Owlet Nightjar	White-naped Honeyeater
Kookaburra	Painted Honeyeater
Sacred Kingfisher	Yellow-winged Honeyeater
Rainbow Bee-eater	Eastern Spinebill
Welcome Swallow	Mistletoe Bird
Tree Martin	Spotted Pardalote
Fairy Martin	Eastern Striated Pardalote
Black-faced Cuckoo-shrike	Silvereye
Scarlet Robin	Goldfinch
Yellow Robin	Red-browed Finch
Jacky Winter	White-winged Chough
Shrike-tit	Dusky Wood-swallow
Golden Whistler	White-backed Magpie
Rufous Whistler	Grey Currawong
Grey Thrush	Australian Raven
Restless Flycatcher	Little Raven
Grey Fantail	
Willie Wagtail	White-faced Heron
Reed Warbler	
Rufous Songlark	

BJ 9/6/85

D
E
F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

BIRDS of the CLUNES SWAMPS

Hoary-headed Grebe (B)
Little Grebe
Pelican
Darter (B)
Little Pied Cormorant (B)
Black Cormorant (B)
White-necked Heron (B)
White-faced Heron (B)
Cattle Egret
Large Egret (B)
Plumed Egret
Nankeen Night-heron
Glossy Ibis
White Ibis (B)
Straw-necked Ibis
Royal Spoonbill
Yellow-billed Spoonbill (B)
Black Swan (B)
Mountain Duck (B)
Black Duck (B)
Grey Teal (B)
Chestnut Teal (B)
Blue-winged Shoveler
Pink-eared Duck (B)
White-eyed Duck
Wood Duck (B)
Blue-billed Duck
Musk Duck (B)
Black-shouldered Kite
Whistling Kite (B)
Wedge-tailed Eagle
Swamp Harrier
Black Falcon
Peregrine Falcon
Brown Falcon
Nankeen Kestrel
Stubble Quail
Marsh Crake
Black-tailed Native-hen
Dusky Moorhen (B)
Swamphen
Coot (B)
Brolga
Masked (Spur-winged) Plover (B)
Banded Plover
Red-kneed Dotterel
Black-fronted Dotterel (B)
White-headed Stilt
Red-necked Avocet
Japanese Snipe
Sharp-tailed Sandpiper
Silver Gull (B)
Marsh (Whiskered) Tern
Galah (B)
Long-billed Corella
White Cockatoo
Musk Lorikeet
Purple-crowned Lorikeet
Cockatiel
Eastern Rosella
Red-backed Parrot (B)
Barn Owl
Kookaburra (B)
Sacred Kingfisher
Pipit
Horsfield Bushlark
Skylark
Welcome Swallow

Tree Martin (B)
Fairy Martin
Black-faced Cuckoo-shrike
Flame Robin
Jacky Winter
Restless Flycatcher
Willie Wagtail (B)
Little Grassbird
Cisticola
Brown Songlark
Blue Wren
Whiteface
Yellow-tailed Thornbill
Red Wattlebird
Noisy Miner

White-plumed Honeyeater
White-fronted Chat
Eastern Striated Pardalote
Goldfinch
House Sparrow (B)
Starling
Magpie lark (B)
White-browed Wood-swallow
Dusky Wood-swallow (B)
Grey Butcher-bird
White-backed Magpie (B)
Black-backed Magpie
Australian Raven
Little Raven.

Suggestions for planting around Elmas Swamp

Eucalyptus camaldulensis
" rostrata
" viminalis } on higher ground
" paniculata
Leptospermum laevigatum
" juniperinum
Callistemon pallidum
Melaleuca cunninghamii
Acacia retinodes
" melanoxylon
" dealbata
Hypocrenthera dentata
Cupressus pinea

L. Bedggood

D
E
F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

D
E
F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

D
E
F
G
H
I
J
K
L
M
Me
N
O
P
Q
R
S
T
U
V
W
Y
Z

D
E
F
G
H
I
J
K
L
M
MI
N
O
P
Q
R
S
T
U
V
W
Y
Z

D
E
F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

E
F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

E
F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

E
F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

E
F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

E
F
G
H
I
J
K
L
M
M
N
O
P
Q
R
S
T
U
V
W
Y
Z

E
F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

E
F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

E
F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

E
F
G
H
I
J
K
L
M
MN
N
O
P
Q
R
S
T
U
V
W
Y
Z

E
F
G
H
I
J
K
L
M
MC
N
O
P
Q
R
S
T
U
V
W
Y
Z

E
F
G
H
I
J
K
L
M
MC
N
O
P
Q
R
S
T
U
V
W
Y
Z

E
F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

E
F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

E
F
G
H
I
J
K
L
M
Me
N
O
P
Q
R
S
T
U
V
W
Y
Z

Protection Of Flora And Fauna

Following a request from the Ballarat Field Naturalists' Club, the Forests Commission is to assist in the protection of phascogales and wild-flowers in the Enfield and Berringa forest areas.

This was stated by the divisional forester, Mr F. S. Insell, yesterday.

In order to protect the phascogales which were breeding up due to protection in the forest, the Forests Commission is to keep the ecological dead trees in the State Forest area at Enfield.

The hollow trees, of no value to the commission, were ringbarked and were being cut by lessees working in the area. However, the trees were the home of the phascogales.

The Field Naturalists' Club requested that, wherever possible, these trees be left standing, and the Forests Commission has acceded.

The commission also agreed to preserve orchids in the Enfield and Berringa areas.

It is illegal to pick these flowers in the State forest, on Crown land or private property, without the owner's consent.

It is an offence to sell, offer for sale or possess protected flowers for sale.

Native heath, Victoria's emblem, was now also protected.

It was included after it was brought to the commission's notice that the flower was no longer as plentiful as it was.

Permits for picking these flowers will be given only for special purposes.

Mar 24 1963

"Mt Misery Garden" — 410 acres
Berringa Flora and Fauna Reserve 490 acres
— proclaimed 30th Dec 1964 —
Committee of Management (4)

Enfield Reserves

Orchidaceæ

Acianthus exsertus (variegated green orchid)
renformis (Gnat mosquito)
caudatus (Mayfly)

Caladenia carnea (pink fingers)
angustata (musky spider)
coerulea (blue caladenia)
dilitata (fringed spider orchid)
Menzesii (hare orchid)
Patersonii (common spider)
Macrosii (Ellis favorite)
cucullata (hooded caladenia)

Calleana major

Corybas dilitatus (Cockatoo helmet orchid)
diemenicus (purple)

Calochilus Robertsonii (brown beard)
C. campestris C. imberbis 1918
Chiloglottis Gunnii (common bird o
C. reflexa 1910
Diuris maculata (leopard orchid)
" pedunculata (snake)
" sulphurea (tiger orchid)
" longifolia (wallflower)
" " yellow form
Dipodium punctatum (hyacinth o
Drochilus cucullata (parson's bands)
Glossodia major (large wavetop orchid

Prasophyllum Archieri (variable leek orchid)
Morrisii (bearded midge)
odoratum (sweet leek)
despectans (sharp midge orchid)
bicolor (abt Hyphalb)
Everlie

Pterostylis nana (dwarf greenhood)
nutans (nodding)
alata (winged)
parviflora (tiny)
longifolia (tall)
barbata (bearded)
pedunculata (nodded-foot)
rufa (rufous greenhood)

Thelymitra rubra (salmon sun orchid)
pauciflora (slender)
cyanea (dotted)
antennifera (rabbit ears)
grandiflora (great sun orchid)
media aristata
cornea

Addition

Cryptostylis subulata
Caladenia chlora
" " pulchra
Calochilus paludosus 1911
Spiranthes sinensis *
Pterostyl. falcata 1910
" pedunculata
" nutans
Microtis unifolia (common onion)
parviflora *

F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

F
G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

BIRDS of the FLAX MILL SWAMP, WENDOUREE

Stubble Quail
Rock Dove
Lewin Water-rail
Banded Landrail
Spotted Crake
Marsh Crake
Black-tailed Native-hen
Dusky Moorhen (B)
Swamphen (B)
Coot (B)
Little Grebe (B)
Hoary-headed Grebe (B)
Black Cormorant
Little Black Cormorant
Little Pied Cormorant
Marsh Tern
Silver Gull
Spur-winged Plover (B)
Banded Plover
Red-kneed Dotterel
Red-capped Dotterel
Black-fronted Dotterel (B)
White-headed Stilt
Red-necked Stint
Red-necked Avocet
Sharp-tailed Sandpiper
Japanese Snipe
White-headed Stilt
Painted Snipe
White Ibis
Straw-necked Ibis
Yellow-billed Spoonbill

Cattle Egret
Plumed Egret
White Egret
White-faced Heron (B)
White-necked Heron
Brown Bittern
Wood Duck
Black Swan (B)
Mountain Duck (B)
Black Duck (B)
Grey Teal (B)
Blue-winged Shoveller
Pink-eared Duck
White-eyed Duck (B)
Musk Duck
Swamp Harrier
Brown Goshawk
Whistling Eagle
Black-shouldered Kite
Little Falcon
Peregrine Falcon
Brown Falcon
Nankeen Kestrel
Galah
Eastern Rosella (B)
Red-rumped Parrot
Blue-winged Parrot
Pallid Cuckoo
Horsfield Bronze-cuckoo
Golden Bronze-cuckoo
Welcome Swallow
Tree Martin

FLAX MILL SWAMP BIRDS

Fairy Martin
Willie Wagtail (B)
Flame Robin
Magpie-lark (B)
Black faced Cuckoo-shrike
White-winged Triller
Blackbird
White-fronted Chat (B)
Yellow-bulled Thornbill (B)
Brown Songlark
Little Grassbird (B)
Reed Warbler (B)
Cuticola
Red Wattlebird
Pipit (B)
Skylark
Goldfinch
Greenfinch
House Sparrow
Starling (B)
Little Raven (B)
White-backed Magpie. (B)

BIRDS OF FELL'S GULLY Nov 1975-76

Compiled by L. Miller & I. Tiley

+ Nesting, Eggs or Young

Australian Pelican
White-faced Heron
Straw-necked Ibis
Painted Quail
+ Bronze-wing Pigeon
Galah
Eastern Rosella
Red-rumped Parrot
Pallid Cuckoo
Horsefield Bronze Cuckoo
+ Sacred Kingfisher
+ Rainbow Bird
+ Little Cuckoo-shrike
+ White-winged Triller
+ White-browed Babbler
+ Rufous Songlark
+ Superb Blue Wren
Striated Thornbill
Yellow-tailed Thornbill
Southern White-face
+ Fantail Whitest
+ Hooded Robin
+ Yellow Robin
+ Grey Fantail
+ Willie Wagtail
+ Restless Flycatcher
+ Rufous Whistler
+ Grey Shrike-thrush
+ Eastern Shrike-tit
+ Crested Bell-bird
Orange-winged Sitella
+ Brown Tree-creeper
+ Mistletoe Bird
+ Spotted Pardalote
Fuscous Honeyeater
White-plumed Honeyeater
+ Yellow-tufted Honeyeater
White-naped Honeyeater
Black-chinned Honeyeater
Yellow-winged Honeyeater
Painted Honeyeater
Noisy Miner
Wattle Bird
+ Diamond Firetail
+ Red-browed Finch
+ Gold Finch
Green Finch
Olive-backed Oriole
White-winged Chough
White-browed Wood-Swallow
+ Dusky Wood-swallow
Magpie
Raven

G
H
I
J
K
L
M
Mi
N
O
P
Q
R
S
T
U
V
W
Y
Z

G
H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

BIRDS of GONG GONG (including Kinks Reservoir)

Hoary-headed Grebe
Little Grebe
Little Pied Cormorant
Black Cormorant
White-necked Heron
White-faced Heron
Black Swan
Mountain Duck
Black Duck
White-eyed Duck
Musk Duck
Black-shouldered Kite
Whistling Kite
Brown Goshawk
White Goshawk
Little Eagle
Swamp Harrier
Brown Falcon
Little Falcon
Painted Quail
Lewin Water-rail
Dusky Moorhen
Coot
Spur-winged (Masked) Plover
Common Bronzewing
Yellow-tailed Black Cockatoo
Galah
Long-billed Corella
White Cockatoo
Crimson Rosella
Eastern Rosella
Pallid Cuckoo
Fan-tailed Cuckoo
Rufous-tailed (Field) Scrub-wren
Golden (Striated) Scrub-wren
Kookaburra
Sacred Kingfisher
Skylark
Welcome Swallow
Mountain (Grey) Thrush
Blackbird
Flame Robin
Scarlet Robin
Yellow Robin
Shrike-tit
Golden Whistler
Rufous Whistler
Grey Thrush
Satin Flycatcher
Restless Flycatcher
Grey Fantail
Reed Warbler
Blue Wren
White-browed Scrub-wren
Brown Thornbill
Striated Thornbill
White-throated Tree-creeper
Yellow-faced Honeyeater
White-eared Honeyeater
White-naped Honeyeater
Eastern Spinebill
Spotted Pardalote
Silvereye
Goldfinch
Greenfinch
Red-browed Finch
Starling
House Sparrow
White-winged Chough
Dusky Wood-swallow

G H I J K L M N O P Q R S T U V W Y Z

GOING GONE

White-browed Wood-swallow
Grey Butcherbird
White-backed Magpie
Red Currawong
Grey Currawong
Little Raven

Mistletoe Bird
Black Lorikeet
Spine-tailed Swift

Grampians - compiled by R. Lepler

MAJOR MITCHELL PLATEAU

The vegetation is stunted and straggled on plateau. Eucalyptus peuciflora and Euc. alpina 4' high - much scrub - Acacia aspalathoides, spongelia incarnata, Leptospermum nitidum, Banksia integrifolia.

Plants found on track up to, and on the plateau.

Myrtaceae

Burchardia umbellata

* Bossiaea pilosa "Hairy Bossiaea" very abundant

Boronia polygalifolia

Pultenaea subalpina "Hairy Bush Pea" grows only on the higher peaks

Baeckea gunnii "Alpine Baeckea"

Sebastiania ciliata

* Hakea nitida "Broad leaf hakea"

Allocasuarina fascicularis "Bundled Sheoak"

Acacia aspalathoides "Hairy Wattle"

Correa lawrenciana "Mountain Correa"

Eucalyptus aggregata "Alpine Gum"

* Grevillea confertifolia "Pine leaf Grevillea"

Venedio

* Spongelia incarnata "Pink Tramp Heath" - found on the plateau, face deep, very prickly undergrowth

Leptospermum myrsinoides "Silky Tea Tree"

Leptospermum nitidum "Shiny Tea Tree"

Velleia paniculata "Tangled Velleia"

Velleia decussata "Velleia"

* Epacris pulchella "Pink Heath"

Epacris collina "Purple Epacris"

Astroloma conferticum "Cone Heath"

* Epacris impressa "Common Heath"

Astroloma longiflorum "Long Purple Heath"

* Calytrix alpestris "Alpine Calytrix"

* Calochilus gallii

— 2 —

Viola hederacea "Ivy leaf - purple violet" longifolia "Wee Fairy"

* Pultenea confertifolia - prostrate - uncommon unusual coloured flowers

* Banksia ericifolia (jelly)

* Casuarina paludosa "Forest oak" 4 feet

* Eucalyptus obliqua (jelly)

* Eucalyptus alpina E. 7 feet high

* Xanthorrhoea australis "Grass tree or Black boy"

Melaleuca squarrosa "Swamp Honey myrtle"

Dillwynia sericea "Hairy Parrot Pea"

Pultenea villosa "Hairy Pea"

Cooperanum mitchellii "Mitchell's Tinsel Bush"

Marianthus bignoniaceus "Orange Bell Climber"

Epacris ericifolia "Heath Leaved Epacris"

Pultenea villosa

Eucarpus cupressiformis

Ulricularia dichotoma "Fairy aprons"

H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

BIRDS of LAKE GOLDSMITH

Little Grebe	Masked (Spur-winged) Plover
Horny-headed Grebe	Banded Plover
Great Crested Grebe	Red-breast Dotterel
Pelican	Double-banded Dotterel
Pied Cormorant	Red-capped Dotterel
Little Pied Cormorant	Black-fronted Dotterel
Black Cormorant	Pied Stilt (White-headed)
~~Little~~ White-necked Heron	Red-necked Avocet
White-faced Heron	Wood Sandpiper
Large Egret	Greenshank
Brown Bittern	Japanese Snipe
White Ibis	Sharp-tailed Sandpiper
Straw-necked Ibis	Red-necked Stint
Royal Spoonbill	Curlew Sandpiper
Yellow-billed Spoonbill	Silver Gull
Black Swan	Whiskered (Marsh) Tern
Mountain Duck	Gull-billed Tern
Black Duck	Caspian Tern
Grey Teal	Gadwal
Chestnut Teal	Long-billed Corella
Shoveller	Musk Lorikeet
Pink-eared Duck	Purple-crowned Lorikeet
White-eyed Duck	Little Lorikeet
Wood Duck	Eastern Rosella
Blue-billed Duck	Red-rumped Parrot
Musk Duck	Pallid Cuckoo
Black-breasted Kite	Fantail (Rufous-tailed) (Northfield) Bronze-cuckoo
Whistling Kite	Shining (Golden) Bronze-cuckoo
Little Eagle	Barn Owl
Swamp Harrier	Kookaburra
Brown Falcon	Pipit
Nankeen Kestrel	Skylark
Stubble Quail	Welcome Swallow
Coot	Tree Martin

Fairy Martin
Black-faced Cuckoo-shrike
Blackbird
Flame Robin
Golden Whistler
Restless Flycatcher
Willie Wagtail
Cicadas
Brown Songlark
Brown Thornbill
Yellow-tailed Thornbill
Red Wattlebird
Yellow-faced Honeyeater
White-plumed Honeyeater
White-naped Honeyeater
Eastern Striated Pardalote
Silvereye
Goldfinch
Greenfinch
Starling
Magpie-lark
White-headed Magpie
Little Raven

H
I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
Y
Z

I
J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
Y
Z

J
K
L
M
Me
N
O
P
Q
R
S
T
U
V
W
Y
Z

J
K
L
M
N
O
P
Q
R
S
T
U
V
W
Y
Z

J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

J
K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

J
K
L
M
Me
N
O
P
Q
R
S
T
U
V
W
Y
Z

K
L
M
Ma
N
O
P
Q
R
S
T
U
V
W
Y
Z

K
L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

L
M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

Page 8 THE COURIER, Ballarat, Thurs., Oct. 2, 1975

LINTON LAND PURCHASE FOR NATURE RESERVE

An area of 54 acres of bushland at Linton is to be bought by the Victoria Conservation Trust for preservation in its natural state as a flora and fauna reserve.

This is a direct result of the interest and efforts of local people.

The area, about 2 km from the town, is believed to be unique for its variety of native plants and for the abundant bird life.

Mrs G. H. Knight, of Linton, in indirect moves for its preservation two years ago, sold a seven-condarbed by Bilbarci Field Naturalists had shown the area to contain 314 species of plants and some 40 species of birds.

The flora was particularly interesting because of the number of orchids and the species found within a relatively close area.

Mrs Knight said the area had not been grazed or otherwise disturbed for about 30 years, and this had enabled it to survive as an almost complete ecological unit.

When the land was sold and a subdivision proposed, she was approached by people from the adjoining Glenelg Shire Council to its rare value as a natural reserve.

The council decided, in November, 1973, to zone the land a public open space for a Flora and Fauna Reserve.

Through the efforts of Mrs Knight and Mr Gordon Carter, of Linton, the Linton Reserve was brought to the attention of the Australian Conservation Foundation, and of the Victoria Conservation Trust.

Mrs Knight also made a substantial private contribution to the purchase of the land, and A State Government loan was approved toward the total purchase price of $11,000.

The shire engineer, Mr D. G. Dean, said yesterday that the purchase of the reserve by the Victoria Conservation Trust was at present in progress.

Meanwhile, funds have still to be raised to meet the full cost of the purchase.

Mrs Knight said she was hopeful that other people, with an interest in preserving the area, would be prepared to contribute to its purchase.

"I am concerned that the many people who appreciate the area should see the opportunity for nature, and that children in the future will not know what Australian bush was really like.

"I have taken many of my friends, explained the opportunity to study and enjoy flowers, as so many children have done, but the children in future will not have much of a chance, unless some of us are prepared to do something to preserve unique areas such as this," she said.

The proposal has been recognised by the Australian Conservation Foundation, and donations to the reserve purchase will be tax-deductible.

Stephen Road

Ottelia ovalifolia Swamp Lily
Blandfordia [illegible] Kangaroo Paw
Poa australis Tussock Grass
Dichopogon strictus Chocolate Lily
Arthropodium minus Small Vanilla Lily
Thysanotus tuberosus Fringed Lily
Chamaescilla corymbosa Blue Squill
Dianella revoluta Spreading Flax Lily
Burchardia umbellata Milkmaids
[illegible] Early Nancy
Bulbine bulbosa Bulbine Lily
Tricoryne [illegible] Yellow Autumn Lily
[illegible] Tall Bulrush
Xanthorrhoea minor Small Grass-tree
Hypoxis glabella Yellow Star
[illegible]

Caladenia dilatata Fringed Spider Orchid
" [illegible] Thick-lipped [illegible]
" carnea Pink Fingers
" deformis Blue Fairies
Glossodia major Waxlip
Diuris pedunculata Snake Orchid
" maculata Leopard
" palustris Spots
Pterostylis nutans Nodding
" longifolia Tall Greenhood
Casuarina suberosa Black She-oak
Banksia marginata Silver Banksia
Exocarpus cupressiformis Wild Cherry
[illegible] Common [illegible]
[illegible] Common [illegible]
[illegible] Bottle-brush
Drosera peltata
" whittakeri Scented Sundew
" planchonii Climbing Sundew

Cassytha Dodder
Ranunculus [illegible] Buttercup
Acacia [illegible] Wattle
" melanoxylon Blackwood
" acinacea Gold-dust Wattle
" armata Hedge Wattle
" diffusa Spreading
" oxycedrus Spike
" myrtifolia Myrtle
" melanoxylon Blackwood
Pultenaea gunnii Golden Bush-pea
Dillwynia [illegible] Red Parrot-pea
Daviesia corymbosa Narrow-leaf
Bossiaea prostrata Creeping Bossiaea
Platylobium obtusangulum Holly Pea
Hovea heterophylla Common Hovea
Kennedia prostrata Running Postman
Hardenbergia violacea
Geranium pilosum [illegible]
Oxalis corniculata Yellow [illegible]
Comesperma [illegible]
Tetratheca ciliata
Stackhousia monogyna [illegible]
Hibbertia [illegible]
Viola hederacea Ivy-leaf Violet
" betonicifolia Purple Violet
Pimelea humilis Rice Flower
" [illegible]
Eucalyptus [illegible]
" [illegible]
" [illegible]
" [illegible]
" [illegible]

M
M
N
O
P
Q
R
S
T
U
V
W
Y
Z

M
Mc
N
O
P
Q
R
S
T
U
V
W
Y
Z

185 Acres proclaimed a Scenic Reserve on the summit of Mt Rochfort on 15th June 1967 by the Forests Commission of Victoria - Committee of Management —

COMPILED BY J.H. WILLIS

VASCULAR FLORA OF Mt. BECKWORTH

(2084 ft)

* The aboriginal name was Nananeck meaning "behind".
4-6 miles W.S.W. of Ballarat, Victoria.

(From granite summit & sandy subsoils around base)

W = water plants R = rare or very localized species

INDIGENOUS PLANTS.

PTERIDOPHYTA

Ophioglossaceae

Ophioglossum coriaceum
(Adder's Tongue)

Dennstaedtiaceae

r Hypolepis rugosula
(Ruddy Ground-fern)

Pteridium esculentum
(Bracken) also Mt. Rolleston

r Histiopteris incisa
(Bat's-wing fern)

Adiantaceae

Cheilanthes tenuifolia
(Rock fern) also Mt. Rolleston

Aspleniaceae

Asplenium flabellifolium
(Necklace fern)

r Pleurosorus rutifolius
(Blanket fern)

Isoetaceae

r Isoetes drummondii
(Plain Quillwort)

SPERMATOPHYTA

MONOCOTYLEDONS

Gramineae

Microlaena stipoides
(Rasping Grass)

Poa australis
(Tussock Grass)

Agropyron scabrum
(Common Wheat-grass)

Gramineae (contd.)

W Amphibromus neesii
(Swamp Wallaby-grass)

Agrostis avenacea
(Blown grass)

Echinopogon ovatus
(Hedgehog grass) also Mt. Rolleston

Danthonia geniculata
(Kneed Wallaby grass)

Poa semibarbata
(Blown Spear-grass)

Cyperaceae

Cyperus tenellus
(Tiny Flat-sedge)

Scirpus antarcticus
(Club-rush) also Mt. Rolleston

W R S. inundatus
(Swamp Club-rush)

W S. platycarpus (club-rush)

W S. calocarpus (club-rush)

Eleocharis acuta
(Common Spike-rush)

Schoenus apogon
(Common Bog-rush)

W R S. latelaminatus
(Medium Bog-rush)

Centrolepidaceae

Centrolepis strigosa
(Hairy Centrolepis)

C. fascicularis (tufted centrolepis)

C. aristata (pointed centrolepis)

Juncaceae

Luzula campestris
(Field Woodrush)

Juncus pallidus (Pale rush)

J. ?polyanthemus (Tussock rush)

W. J planifolius (Broad leaf Rush)

J holoschoenus (Jointed rush)

Liliaceae

Xanthorrhoea minor
(Small grass tree)

Lomandra longifolia
(Spiny headed Mat-rush)

L. filiformis (Wattle Mat-rush)

Chamaescilla corymbosa
(Blue Stars)

Arthropodium milleflorum
(Pale Vanilla-lily)

Dichopogon strictus
(Chocolate-lily)

R. D fimbriatus (nodding Chocolate lily)

Thysanotus patersonii
(Fringe lily)

Bulbine bulbosa.
(Native Leek)

Tricoryne elatior
(Yellow Rush-lily)

R. Dianella revoluta
(Black-anther flax-lily)

Arguillaria dioica
(Early Nancy)

Burchardia umbellata
(Milkmaids)

Hypoxidaceae

Hypoxis glabella
(Yellow Star)

Orchidaceae

Thelymitra aristata
(Scented Sun-orchid)

T. pauciflora
(Slender Sun-orchid)

T. rubra (Salmon sun-orchid)

T. cornea (Pink sun-orchid)

Colochilus robertsoni
(Purplish Beard-orchid)

Diuris pedunculata.
(Golden Moths)

Microtis unifolia
(Common Onion-orchid)

M parviflora (Slender Onion-orchid)

Acianthus reniformis
(Mosquito orchid)

Caladenia dilatatus
(Green-comed Spider-orchid)

C carnea (Pink fingers)

C. cucullata (Hooded Caladenia)

[Eriochilus cucullatus recorded nearby granite Mt Pelion]

Glossodia major
(Wax-lip Orchid)

R Pterostylis alata
(Upright Greenhood)

P. pedunculata (Maroon-hood)

P. nana (Dwarf Greenhood)

P. nutans (Nodding Greenhood)

P. curta (Blunt Greenhood)

Casuarinaceae

Casuarina striata
(Drooping She-oak)

Urticaceae

Parietaria debilis
(Shade Pellitory)

Proteaceae

R. Banksia marginata
(Silver Banksia)

Santalaceae

Exocarpus cupressiformis
(Cherry Ballart)

Loranthaceae

Amyema pendula
(Drooping Mistletoe)

Polygonaceae

Rumex brownii
(Slender Dock)

Amaranthaceae

R. Ptilotus macrocephalus
(Feather Heads)

Portulacaceae

Calandrinia calyptrata
(Tufted Purslane)

Caryophyllaceae

Stellaria pungens
(Prickly Starwort) also Mt Bolton

Ranunculaceae

Ranunculus sessiliflorus
(Small flower Buttercup)

Droseraceae

Drosera peltata
(Pale Sundew)

D. auriculata (Errendulla)

Crassulaceae

Crassula sieberiana
(Sieber Crassula)

C. macrantha
(Spreading Crassula)

Pittosporaceae

Bursaria spinosa
(Native or Sweet Blackthorn)

Rosaceae

Rubus triphyllus
(Small leaf Blackberry - also Mt Bolton)

Acaena ovina
(Australian Sheep's Burr)

Mimosaceae

Acacia implexa (Lightwood)

A. melanoxylon (Blackwood)

A. armata (Kangaroo thorn)

A. mearnsii (Black wattle)

[A. verticillata & A. dealbata both occur on Mt BOLTON.]

Papilionaceae

R. Viminaria juncea
(Golden Spray)

R. Pultenaea scabra
(Rough Bush pea)

Platylobium obtusangulum
(Common Flat pea)

R. Hardenbergia violacea
(False Sarsparilla)

Geraniaceae

Geranium pilosum (agg)
(Sticky Cranesbill)

Pelargonium rodneyanum
(Magenta Storksbill)

Oxalidaceae

Oxalis corniculata
(Creeping Wood sorrel)

Rutaceae

*Correa reflexa
(Common correa)

not seen since 1929 and non flowering collected

* see footnote

Euphorbiaceae
Poranthera microphylla
(Small Poranthera)
Hypericaceae
(Small St John's Wort)
Violaceae
Viola betonicaceae
(Sweet leaf Violet)
R. Hymenanthera dentata
(True Violet)
Thymeleaceae
Pimelea humilis
(Dwarf Rice flower)
Lythraceae
Lythrum hyssopifolia
(Small Loosestrife)
Myrtaceae
Eucalyptus oblqua
(Messmate Stringybark)
also Mr Betche
E. viminalis (Manna Gum)
E. ovata (Swamp Gum)
E. amygdalina (Peppermint)
E. goniocalyx
[syn E. elaeophora]
(Bundy or Long-leaf Box)
E. melliodora
(Yellow Box).
Leptospermum juniperinum
(Prickly tea tree also Mr Betche)
Onagraceae
Epilobium junceum
(Variable Willow-herb)
also Mr. Betche
Halorogaceae (continued)

Halorogaceae
Haloragis tetragyna
(Common Raspwort also Mr Betche)
H. elata (Tall Raspwort)
Vr. H. heterophylla (variable Raspwort)
Umbelliferae
Vr. Centella asiatica
(Indian Pennywort)
Hydrocotyle laxiflora
(Stinking Pennywort)
H. callicarpa (small pennywort)
[H. hirta occurs on Mr Betche]
Daucus glochidiatus
(Native carrot)
Epacridaceae
Brachyloma daphnoides
(daphne heath)
R. Leucopogon virgatus
(common beard heath)
Gentianaceae
Sebaea ovata (yellow Cicendia)
Boraginaceae
Myosotis australis
(Native Forget-me-not)
Labiatae
Ajuga australis
(Native Bugle - also Mr Betche)
Solanaceae
Solanum nigrum
(Black Nightshade)
S. laciniatum
(Kangaroo Apple also Mr Betche)
Scrophulariaceae
W. Erodiola peruviana
R. (Native Speedwell)

Lentibulariaceae

Utricularia dichotoma
(Fanwort (Yellow))

Rubiaceae

R. Asperula scoparia
(Prickly Woodruff)

Galium quadrichaudii
(Cowpeck (Bedstraw))

R. G. parisiense var. australe
(Hairy Bedstraw)

Campanulaceae

Wahlenbergia bicolor
(Tassel Bluebell)

W. consimilis (Tall Bluebell)

W. gracilenta (Annual Bluebell)

Lobeliaceae

W. Lobelia pratioides
(Poison Lobelia)

Pratia puberula (Berry pratia)

W. Isotoma fluviatilis
(Swamp Isotoma)

Goodeniaceae

Velleia paradoxa (Spur Velleia)

R. Goodenia lanata
(Trailing Goodenia)

Brunoniaceae

Brunonia australis (Blue Pincushion)

Stylidiaceae

R. Stylidium graminifolium
(Grass Triggerplant)

S. brachyphyllum
(Tiny Triggerplant)

Levenhookia dubia
(Hairy Stylidium)

Compositae

Lagenophora stipitata
(Blue Bottle daisy)

Solenogyne bellidoides
(Small Bottle daisy)

R. Brachycome lepto carpa
(Narrow-seed Daisy)

W. Isoëtopsis graminifolia
(Grass Cushion)

W. Myriocephalus rhizocephalus
(Woolly-heads)

Erospedia uniflora
(Common Billy button)

Rutidosis pumilio
(Tiny Woolhead)

Cassinia aculeata
(Common Cassinia or Dogwood)

Helichrysum apiculatum
(Common Everlasting)

Helipterum australe
(Common Sunray)

H. denissum (Tiny sunray)

Gnaphalium luteo album
(Jersey cudweed)

G. japonicum
(creeping cudweed)

G. indicum (Indian cudweed)

Stuartina muelleri
(Spoon Cudweed)

R. Senecio aquaticus
(Marshed Groundsel)

S. glanveratus (Tiny groundsel)

S. quadridentatus
(Cotton Groundsel)

Microseris lanceolata
(Yam Daisy)

Birds of Mount Beckworth

Australasian Grebe B
Little Pied Cormorant
White-necked Heron
White-faced Heron
Great Egret
Nankeen Night-Heron
Australian Shelduck
Pacific Black Duck
Whistling Kite
Brown Goshawk B
Wedge-tailed Eagle B
Little Eagle
Black Falcon
Peregrine Falcon
Australian Hobby
Brown Falcon B
Nankeen Kestrel B
Stubble Quail
Painted Button-quail B
Brolga
Bush Stone-curlew
Masked Lapwing B
Black-fronted Dotterel
Peaceful Dove
Common Bronzewing B
Brush Bronzewing
Galah
Long-billed Corella
Sulphur-crested Cockatoo
Musk Lorikeet
Purple-crowned Lorikeet
Little Lorikeet
Cockatiel
Budgerigar
Swift Parrot
Crimson Rosella
Eastern Rosella B
Red-rumped Parrot B
Pallid Cuckoo
Brush Cuckoo
Fan-tailed Cuckoo
Black-eared Cuckoo
Horsfield's Bronze-cuckoo
Shining Bronze-cuckoo
Barking Owl
Tawny Frogmouth B
Australian Owlet-nightjar
White-throated Needletail
Laughing Kookaburra B
Sacred Kingfisher
Rainbow Bee-eater
Skylark
Welcome Swallow B
Tree Martin
Fairy Martin B

Richard's Pipit
Black-faced Cuckoo-shrike B
White-bellied Cuckoo-shrike B
White-winged Triller B
Blackbird
Rose Robin
Flame Robin
Scarlet Robin B
Red-capped Robin
Hooded Robin B
Eastern Yellow Robin B
Jacky Winter B
Crested Shrike-tit
Golden Whistler B
Rufous Whistler B
Grey Shrike-thrush B
Crested Bellbird
Leader Flycatcher
Satin Flycatcher
Restless Flycatcher B
Rufous Fantail
Grey Fantail B
Willie Wagtail B
Spotted Quail-thrush
White-browed Babbler B
Rufous Songlark B
Brown Songlark
Superb Fairy-wren B
White-browed Scrubwren
Striated Fieldwren
Speckled Warbler
Weebill
Western Gerygone
White-throated Gerygone
Brown Thornbill B
Buff-rumped Thornbill B
Yellow-rumped Thornbill B
Yellow Thornbill B
Striated Thornbill B
Southern Whiteface B
Varied Sittella B
White-throated Treecreeper
Brown Treecreeper B
Red Wattlebird B
Little Wattlebird
Noisy Friarbird
Regent Honeyeater B
Noisy Miner B
Yellow-faced Honeyeater B
White-eared Honeyeater
Yellow-tufted Honeyeater
Fuscous Honeyeater B
White-plumed Honeyeater
Black-chinned Honeyeater
Brown-headed Honeyeater

Birds of Mount Beckworth (continued)

White-naped Honeyeater B
Painted Honeyeater
Crescent Honeyeater
New Holland Honeyeater B
Eastern Spinebill
White-fronted Chat B
Mistletoebird B
Spotted Pardalote B
Striated Pardalote B
Silvereye
European Goldfinch
European Greenfinch
Red-browed Finch B
Diamond Firetail B
Zebra Finch

Common Starling
Olive-backed Oriole
White-winged Chough B
Magpie-lark B
Masked Woodswallow
White-browed Woodswallow B
Dusky Woodswallow B
Grey Butcherbird B
Australian Magpie B
Grey Currawong B
Australian Raven B
Little Raven

137 species

B (breeding) denotes species which have nested at Mt Beckworth

Sources: Historic records of the Field Naturalists Club of Ballarat, including a bird list of 1959; a list compiled by J.R. Wheeler 1968 and added to by R. J. Thomas 1971; references in "Birds of the Ballarat Region" by Roger Thomas and Jack Wheeler, 1983; and personal records by G.W. Binns and M.J. Rotheram to 1997.

MJR.
GWB.
June 1998.

Bird List - Mt Beckworth 25th October 59

1 Whistling Eagle
2 Brown Hawk
3 Much Lorikeet
4 Eastern Rosella
5 Red-backed Parrot
6 Kookaburra
7 Rainbow-bird
8 Pallid Cuckoo
9 Golden Bronze "
10 Martin
11 Grey Fantail
12 White Wagtail
13 Restless Flycatcher
14 Jacky Winter
15 Hooded Robin
16 Alt. Yellow Robin
17 Rufous Whistler
18 Grey Thrush
19 Magpie-lark
20 Eastern Shrike-tit
21 B.F. Cuckoo Shrike
22 White-browed Babbler
23 Brown Thornbill
24 Yellow-tailed Thornbill
25 White-browed Scrub-wren
26 Striated Field Wren
27 Blue Wren
28 Dusky Woodswallow
29 Orange-wing Sittella
30 Brown Tree-creeper
31 White-throated "
32 Spotted Pardalote
33 Striated "
34 White-naped Honeyeater
35 Brown-headed "
36 Fuscous "
37 Yellow-faced "
38 Yellow-winged "
39 White-plumed "
40 Red-browed Finch
41 Raven
42 White winged Chough
43 Magpie
44 Goldfinch
45 Pallid Cuckoo Flycatcher

M
N
O
P
Q
R
S
T
U
V
W
Y
Z

BIRDS OF MOUNT BECKWORTH
(Clunes)

(B) Denotes Breeding.

Stubble Quail
Painted Quail (B)
Common Bronzewing (B)
Brush Bronzewing
Spur-winged Plover (B)
Southern Stone-Curlew
White-faced Heron
Brown Goshawk (B)
Wedge-tailed Eagle B
Little Eagle
Whistling Eagle (B)
Brown Hawk (B)
Nankeen Kestrel
Waking Owl
Musk Lorikeet B
Purple-crowned Lorikeet B
Little Lorikeet
White Cockatoo
Galah
Crimson Rosella
Eastern Rosella (B)
Red-backed Parrot (B)
Swift Parrot
Bodgerigah
Tawny Frogmouth (B)
Owlet Nightjar (B)
Laughing Kookaburra (B)
Sacred Kingfisher
Rainbow Bird (B)
Spine-tailed Swift
Pallid Cuckoo
Fantailed Cuckoo

Black-eared Cuckoo
Horsfield Bronze-Cuckoo
Golden Bronze-Cuckoo
Welcome Swallow (B)
Tree Martin
Fairy Martin (B)
Grey Fantail (B)
Rufous Fantail
Willie Wagtail (B)
Satin Flycatcher
Leaden Flycatcher (Possum Cricket) (B)
Jacky Winter (B)
Scarlet Robin (B)
Red-capped Robin
Flame Robin
Hooded Robin (B)
Yellow Robin (B)
Golden Whistler (B)
Rufous Whistler (B)
Grey Thrush (B)
Magpie Lark (B)
Eastern White-Tit (B)
Crested Bellbird
Black-faced Cuckoo-Shrike (B)
Little Cuckoo-Shrike (B)
White-winged Triller (B)
White-browed Babbler (B)
White-fronted Chat (B)
Brown Warbler
Eastern Whiteface (B)
Striated Thornbill (B)
Little Thornbill (B)
Brown Thornbill (B)

Buff-tailed Thornbill (B)
Yellow-tailed Thornbill (B)
Speckled Warbler (B)
Rufous Songlark (B)
Brown Songlark
Blue Wren (B)
White-breasted Wood-Swallow (B)
Masked Wood-Swallow
Dusky Wood-Swallow (B)
Orange-winged Sittella (B)
Black-capped Sittella
Brown Tree-Creeper (B)
White-throated Tree-Creeper
Mistletoe-Bird B
Spotted Pardalote B
Striated Pardalote (B)
Eastern Striated Pardalote (B)
Grey-breasted Silvereye
White-naped Honeyeater (B)
Black-chinned Honeyeater
Brown-headed Honeyeater
Eastern Spinebill
Regent Honeyeater (B)
Fuscous Honeyeater (B)
Yellow-faced Honeyeater (B)
White-eared Honeyeater
Yellow-tufted Honeyeater
White-plumed Honeyeater

Peregrine Falcon
Boobook Owl
Rose Robin
129. Western Warbler

Brush Cuckoo
Western Warbler

Yellow-winged Honeyeater
Noisy Miner (B)
Little Wattlebird
Red Wattlebird (B)
Noisy Friar-Bird
Australian Pipit (B)
English Skylark (B)
Greenfinch
Goldfinch
Diamond Firetail (B)
Zebra Finch
Red-browed Finch (B)
Olive-backed Oriole
Starling
Australian Raven (B)
White-winged Chough (B)
Grey Currawong (B)
White-backed Magpie (B)

Completed 1968 by J.R. Wheeler
111 species
Additions:
(112) Peaceful Dove
(113) Black-fronted Dotterel (B)
(114) Nankeen Night-Heron
(115) Black Duck
(116) Little Falcon
(117) Spotted Quail-Thrush
(118) Little Grebe (B)
(119) Blackbird
(120) White Egret
(121) Egrette
(122) Italian Flycatcher
(123) Black Duck (dex)
Mountain Duck
Little Pied Cormorant

BIRDS of MT. ERIP compiled J. Clarke

White-headed Eagle	Brown Thrasher
Passenger Pigeon	Bluebird "
Mourning Dove	Blue Jay N
Sparrow	White Breasted Red Swallow
Goshawk	Purple " " N
Whistling Eagle	Gray Shrike Thrush N
Brown Hawk	Eastern Shrike Tit
Marsh Harrow	Golden Winter
Crimson Swallow	Rufous "
Eastern Swallow N	Orange W. Sphelle
Owlet Nightjar	Brown Tree Creeper
Sacred Kingfisher N	White Nuthatch "
Hairbrain Bird V. Common	Silver Eye
Allied Cuckoo	Apostlebird N
Hardhead "	Hooded Tardebite
Horsefield Bronze "	Jay Head "
Jack Worlen	White Tufted Horseyater N
Brown Flycatcher N	Eastern Spinebill
Sathers " N	Painted Honeyeater
Robin " N	Yellow faced " V.C. N
Karlet Robin N	White faced " N
Wave Robin	White Plumed "
Yellow Robin N	Yellow-wattled " V.C.
Hooded " N	Red Duffell Bird
Grey fantail N	Diamond Finchtail N
Rufous	Red-browed Finch N
Speckled Berbler N	Crowle
Black-throated Shrike N	Red Currawong
White Winged Triller N	
" " Shrugh	
Magpie	
Crow	
White Breast-wren N	
Yellow Striped Tit-shell	
Hooded "	

N
O
P
Q
R
S
T
U
V
W
Y
Z

BIRDS of the MOORABOOL RESERVOIR

Hoary-headed Grebe
Little Grebe
Great Crested Grebe
Pelican
Black Cormorant
Little Pied Cormorant
White-necked Heron
White-faced Heron
Cattle Egret
Straw-necked Ibis
Yellow-billed Spoonbill
Black Swan
Mountain Duck
Black Duck
Grey Teal
Chestnut Teal
White-eyed Duck
Wood Duck
Musk Duck
Black-shouldered Kite
Whistling Kite
Brown Goshawk
Wedge-tailed Eagle
Swamp Harrier
Little Falcon
Brown Falcon
Nankeen Kestrel
Banded Landrail
Dusky Moorhen
Coot
Masked (Spur-winged) Plover
Banded Plover
Black-fronted Dotterel
Silver Gull
British Bronzewing
Yellow-tailed Black Cockatoo
Long-billed Corella
White (Sulphur-crested) Cockatoo
Musk Lorikeet
Purple-crowned Lorikeet
Crimson Rosella
Fan-tailed Cuckoo
Rufous-tailed (Horsfield) Bronze-cuckoo
Shining (Golden) Bronze-cuckoo
Boobook Owl
Spine-tailed Swift
Kookaburra
Skylark
Welcome Swallow
Mountain (Scaly) Thrush
Blackbird
Flame Robin
Scarlet Robin
Yellow Robin
Golden Whistler
Rufous Whistler
Grey Thrush
Restless Flycatcher
Grey Fantail
Reed Warbler
Cisticola
Blue Wren
White-browed Scrub-wren
Brown Thornbill
Striated Thornbill
Yellow-tailed Thornbill
White-throated Tree-creeper
Red Wattlebird

Yellow-faced Honeyeater
White-eared Honeyeater
Brown-headed Honeyeater
White-naped Honeyeater
Crescent Honeyeater
White-fronted Chat
Mistletoe Bird
Spotted Pardalote
Silvereye
Goldfinch
Greenfinch
Red-browed Firetail
Starling
White-winged Chough
Magpie-lark
White-browed Wood-swallow
Dusky Wood-swallow
White-backed Magpie
Grey Currawong
Australian Raven
Little Raven

Olive-backed Oriole

N
O
P
Q
R
S
T
U
V
W
Y
Z

N
O
P
Q
R
S
T
U
V
W
Y
Z

N
O
P
Q
R
S
T
U
V
W
Y
Z

N
O
P
Q
R
S
T
U
V
W
Y
Z

N
O
P
Q
R
S
T
U
V
W
Y
Z

N
O
P
Q
R
S
T
U
V
W
Z

N
O
P
Q
R
S
T
U
V
W
Y
Z

O
P
Q
R
S
T
U
V
W
Y
Z

O
P
Q
R
S
T
U
V
W
Y
Z

P
Q
R
S
T
U
V
W
X
Y
Z

P
Q
R
S
T
U
V
W
Y
Z

P
Q
R
S
T
U
V
W
Y
Z

P
Q
R
S
T
U
V
W
Y
Z

Q
R
S
T
U
V
W
Y
Z

R
S
T
U
V
W
Y
Z

R
S
T
U
V
W
Y
Z

R
S
T
U
V
W
Y
Z

R
S
T
U
V
W
Y
Z

R
S
T
U
V
W
Y
Z

R
S
T
U
V
W
Y
Z

R
S
T
U
V
W
Y
Z

R
S
T
U
V
W
Y
Z

S
T
U
V
W
Y
Z

S
T
U
V
W
Y
Z

S
T
U
V
W
Y
Z

T
U
V
W
Y
Z

T
U
V
W
Y
Z

T
U
V
W
Y
Z

T
U
V
W
Y
Z

T
U
V
W
Y
Z

T
U
V
W
Y
Z

T
U
V
W
Y
Z

T
U
V
W
Y
Z

Field Naturalist's Club of Ballarat Flora and Fauna lists

Page 3-8 Birds of Ballarat and District
260 species listed including additions up to 1974.
Includes distribution, habitat and breeding information.

Page 11-13 Mammals of Ballarat and District
Compiled by E. G and S. A. Bedggood
Includes location.

Page 18 Birds of Clunes Swamp (amended list p36)
Compiled by S. Bedggood and R. Thomas

Page 19-29 Plants of Mt Cole Forest
Compiled by L. J & A. E. Millar

Page 30 Birds of Canadian Forest
Compiled by Bon Strange & S. Bedggood
57 species; 27 speces nesting.

Page 32-33 Birds of Clarkesdale Bird Paddock
97 species; Roger Thomas

Page 34 Birds of The Crossing (Woady Yaloak Creek)
67 species

Page 37-37 Birds of Clunes Swamps
Includes breeding information.

Page 38 Suggestions for planting around Clunes Swamps
Compiled by S. Bedggood.

Page 76-77 Enfield Reserves Orchid list
Includes newspaper cutting.

Page 95-6 Birds of Flax Mill Swamp

Page 97 Birds of Fells Gully
Compiled by L. Millar & I. Tiley.
Includes nestinginformation.

Page 103-4 Birds of Gong Gong and Kirks Reservoir

Page 105-106 Plants of Major Mitchell Plateau, Grampians.
Compiled by B Lafeber.

Page 108-109 Birds of Lake Goldsmith

Page 147 Plants of Linton Trust for Nature block, 2km from Linton.
Includes newspaper cutting.

Page 153-157 Plants of Mt Beckworth
Compiled by J. H. Willis.

Page 160-161 Birds of Mt Beckworth
Compiled 1968 by J. R. Wheeler
With later additions – 127 species

Page 162 Birds of Mt Erip.
Compiled 1968 by G. Clarke

Page 164-165 Birds of Moorabool Reservoir

Canadian Forest Bird Range

N-eater
Red-Wattle Bird ✓
N Pardalote Spotted ✓
N " Striated ✓
N Robin Scarlet ✓
" Pink ✓
" Rose ✓
N " Yellow ✓
Silver-eye ✓
N Sitella Orange-winged
Oriole Olive-backed ✓
Raven ✓
N Scrub-wren White-browed ✓
N Shrike Tit Eastern ✓
Swift Spine-tailed ✓
Rosella Crimson ✓
" Eastern ✓
Lorikeet Little ✓
Heron White-fronted ✓
Pigeon Bronze-winged ✓
Tree-creeper White-throated ✓

Canadian Forest

Ben Strange

Cuckoo Pallid
Fan tailed
Golden Bronze
Horsefield Bronze
N Bronzy White-winged
N Currawong Grey.
N Finch Red-Rowed
N Fantail Grey
Rufous
N Flycatcher Satin
Eagle Wedge-tailed
Whistling Eagle
N Brown Hawk
N Grey Goshawk (both white + grey forms)
N Kookaburra
N Magpie White-backed
Honeyeater Yellow-faced
N White-naped
N Eastern Spinebill
Brown-headed
N White-eared

Canadian Forest Bow Range

N Thorn-bill Brown ✓
N " Striated ✓
N Brown ✓
N Buff-tailed ✓
Yellow-tailed ✓
N Thrush Grey ✓
N Whistler Golden ✓
N " Rufous ✓

N Black bird ✓
Starling ✓
N Gold finch ✓

Bow Range

Willie Dogfish
Feather Flycatcher
White breast woodswallow
Dusky
Blue wren

Green finch

VICTORIA

STATE PUBLIC OFFICES

TELEPHONE: 69 0321 EXT.

REF No.

NATIONAL PARKS SERVICE
1 TREASURY PLACE, MELBOURNE, VIC. 3002

AREA OF NATIONAL PARKS IN VICTORIA
(Acres, Square Miles and Hectares)

National Parks as listed in Schedule to National Parks Act	Acres	Square Miles	Hectares
1. Wyperfeld	139,760	218.38	56558.8650
2. Kinglake	14,100	22.03	5706.1918
3. Fern Tree Gully	991	1.55	401.0522
4. Wilson's Promontory	120,875	188.86	48916.6297
5. Mount Buffalo	27,280	42.63	11039.8243
6. The Lakes	5,238	8.18	2119.7434
7. Lind	2,882	4.50	1166.3040
8. Alfred	5,676	8.87	2297.0457
9. Wingan Inlet	4,730	7.40	1914.1631
10. Mallacoota Inlet	11,225	17.54	4542.5963
11. Tarra Valley	337	0.53	136.3820
12. Bulga	91	0.14	36.8264
13. Churchill	477	0.75	193.0351
14. Fraser	7,746	12.10	3134.6166
15. Mount Richmond	2,036	3.18	824.3269
16. Mount Eccles	974	1.52	394.2144
17. Hattah Lakes	44,000	68.75	17806.1682
18. Glenaladale	403	0.63	163.3286
19. Port Campbell	1,750	2.73	708.1999
20. Morwell	346	0.54	140.3298
21. Little Desert	87,069	136.05	35236.7463
22. Lower Glenelg	22,400	35.00	9064.9383
23. Captain James Cook	6,700	10.46	2711.3938
TOTAL:	507,086	792.32	205212.9418

Percentage of Total Area of Victoria = 0.9

Notes: This list incorporates changes to the Schedule made by the National Parks (Amendment) Act 1971 but does not include the Organ Pipes National Park (162 acres), declaration of which depends upon conveyancing dealings subsequent to the passing of that Act.

(December 1971)

TELEPHONE: 663 4811

DIRECTOR: JOHN MCNALLY, M.SC.

REF. BJS/NM. 1231-1971.

285-321 RUSSELL STREET
MELBOURNE, VIC. 3000

13th May, 1971.

Mrs S. Bedggood,
809 Barkly Street,
BALLARAT, VIC. 3350.

Dear Mrs. Bedggood,

Thank you very much for the snails you sent from Near Smythesdale. They are the small native carnivorous snail Strgnoeata rugn, a widespread species in Victoria. However your record is very useful for the survey. I am looking forward to receiving further specimens from your Club from the Ballarat area.

Yours sincerely,

Brian J. Smith (Dr.)
Curator of Invertebrates.

The Courier
TUESDAY, WEDNESDAY, AUGUST 27, 1975

When a community pulls together

MAYYBOUGH MAYOR, Cr Frank Ryan, has pinpointed a major key reason for success of this year's Dedication Week celebrations at Maryborough.

He said: "Many of us can see by how it developed that it was a community effort. Almost everybody every aspect involved, a lot of people contributed, and it was a community effort.

And the organisations that are helping are a very good sign of the community's interest.

Mayor Ryan said the success of the week was due to the fact that it was a community effort involving people in the community who have initiated greatly in the festival's success.

Mr Ryan said the Dedication Week was a good time for people to see what Maryborough has to offer under another angle.

And it was a time for people to see that so many people participated in the festival, and that it was a time for people to see what Maryborough has to offer.

Something for all

Another season in the theme is the fact that there is something for everyone in the festival. Mr Ryan said that the festival had been a time for people to see what Maryborough has to offer.

800 acres at Smythesdale to remain crown land

The 800 acres of Crown land at Smythesdale will remain Crown land, the Minister of Forests and Conservation, Mr Lindsay Thompson, has decided not to sell the organic farm. Family farmers will now remain on Crown land.

The decision was made after representations were received from environmentalists and farmers.

Mr Thompson said the Smythesdale land had been used for organic farming since 1980 and was a unique farming operation. The farmers had made a considerable contribution to the area and had developed a strong relationship with the community.

Mr Thompson said the Smythesdale farmers had approached him with a proposal to purchase the land. He said he was prepared to consider the proposal but was also prepared to allow the farmers to remain on Crown land.

Mr Thompson said the farmers had made a strong case for the land to be used for organic farming and had demonstrated that they could do it successfully.

Mr Thompson said he was also prepared to consider a proposal from the farmers to purchase the land if they could show that it was in the community's interest.

Mr Thompson said he was also prepared to consider a proposal from the farmers to purchase the land if they could show that it was in the community's interest.